



Village of Blissfield

130 S. Lane Street, P. O. Box 129

Blissfield, Michigan 49228

Phone: (517) 486-4347 Fax: (517) 486-4069

Website: www.blissfieldmichigan.gov

Email: administrator@blissfieldmichigan.gov

2018 Pearl St. Parking Lot Resurfacing Project

Request for Quotes

March 1, 2018

The Village of Blissfield hereby request quotes from interested contractors for the Village's 2018 Pearl St. Parking Lot resurfacing project. The following are the specifications for the project (specific estimated dimensions are included on the attached quote form):

Cold Milling

1. Any structures (manhole covers, catch basins, etc.) in the areas to be milled shall be covered prior to milling and paving. The contractor shall be responsible for any needed cleaning of such structures resulting from the project
2. Cold milling of the current bituminous surface shall be done with an automated milling machine, starting at the existing curb and milling to an average depth of 1-½ inches, with a maximum curb-to-crown grade of ¼ inch per foot (as much as practicable). Butt joints where overlays will meet existing pavement and sections where pavement abuts curbs/gutters and/or sidewalks shall also be milled, as needed.
3. Milled bituminous materials may be delivered, using transportation provided by the contractor, to (a) site(s) provided by the Village. The contractor shall dispose of any millings not needed or so designated by the Village.
4. The contractor shall be responsible for ensuring that surfaces to be paved are even and free of debris, prior to the placement of the new bituminous cap or overlay.

Pavement Overlay

1. Prior to paving, all structures shall be sprayed with a substance that will prevent paving materials from sticking to them. Said substance shall be removed after paving. The Village will be responsible for any structure adjustments that may be needed.
2. A prime or tack coat shall be applied to edges (butt joints and/or curbs/gutters) and areas to be paved as needed, on the day said pavement is to be placed.
3. New bituminous pavement (MDOT #1100T or ODoT #412) shall be placed in the following manner:
 - a. The bituminous cap shall be placed at an average course depth of 1-½ inches, with a maximum curb-to-crown grade of ¼ inch per foot (as much as practicable).

- b. The paving machine to be used must be self-propelled, capable of paving the parking lot areas in as few passes as practicable while still maintaining the required grade).
- c. All bituminous pavements shall contain either crushed limestone aggregate or crushed natural aggregate.
- d. Pavement edges that will have another pavement course placed against it shall be smoothed out over such material as burlap, for traffic use purposes as needed. Such material shall be removed prior to paving the edge.

General

1. The contractor shall be responsible for clean-up of all work areas, including structures, upon completion of the project.
2. **The contractor shall be responsible for any and all needed traffic control and direction at all times during milling, paving, rolling, and all other operations, as well as 24-hour advance written notification of residents on the street to be resurfaced.**
3. Upon completion of paving operations, the contractor shall re-stripe the parking lot, as currently configured.
4. All work shall be performed in accordance with appropriate MDoT specifications.
5. The costs for #'s 1 through 3 shall be included in the cost included on the quote form.
6. This is not a prevailing wage project.
7. The Contractor should confirm street measurements by contacting Brent Kastel (Village DPW Supervisor) at (517) 202-6377 or publicworks@blissfieldmichigan.gov.
8. The timetable for the project is as follows:
 - a. Request for Quotes sent: March 1, 2018
 - b. Quotes due to Village: 4:40pm, Thursday, March 22, 2018**
 - c. Potential award of project: April 9, 2018
 - d. Project to be completed no later than: August 31, 2018
 - e. Invoice to Village no later than: September 5, 2018

The Contractor is asked to submit their quote on the enclosed quote form, along with proof of adequate property damage, liability, and workers compensation insurance, to James Wonacott, Blissfield Village Office, 130 S. Lane St., PO Box 129, Blissfield, MI 49228, according to the above timetable. Any questions regarding this Request for Quotes should be directed to Mr. Kastel. The Village reserves the right to award this project in whole or in part, and may reject the quote if deemed necessary or appropriate.

James A. Wonacott
Village Administrator

Village of Blissfield

2018 Pearl St. Parking Lot Resurfacing Project

Quote Form

Name: _____

Address: _____

Phone #: _____

Email address: _____

Contact person: _____

This quote is valid for _____ days from March 22, 2018.

_____ Proof of insurance is included.

Pearl Street Parking Lot Project (24,634 Sq. Ft.) \$ _____